

makes a difference



SHINY ON THE MOVE

Show the world how clean you are working

PROFESSIONAL | VEHICLE CLEANING



For cleaning commercial vehicles, you need systems with a clean bill of health. We provide perfectly matched system solutions that can rise to any challenge, so you can clean trucks and buses of every size. The effect is immediately visible, and the systems are economically efficient.





YOUR ADVANTAGES:

1 Technology

Reliable, flexible and low-maintenance technology; we work closely with operators and continually adjust our systems to meet current market needs.

2 Modularity

High flexibility when selecting equipment components allows you a variety of options for individually configuring your wash system.

3 Made in Germany

We develop and produce our technology in Germany.

4 The brand Kärcher

We are a family company operating world-wide, and a market leader in cleaning technology. Our technology, innovation, and services guarantee you a sustainable investment.

5 The Kärcher System

We are your competent, powerful and reliable partner. As a system provider, we offer you everything from a single source – from the idea to implementation and on to system operation. We provide perfectly matched components and cleaning concepts to fit the market.

Contents

- 4 Target groups
- 6 Wash process
- 8 TB
- 10 Equipment options
- 12 Manual prewash
- 14 RBS

- 16 Water reclamation
- 17 Cleaning agents
- 18 Application examples
- 20 Tank interior cleaning
- 22 Kärcher Services

YOUR DECISION IS THE RIGHT DECISION

We have the right solution for everyone. For forwarding agencies, bus companies, municipalities and professional cleaners – and for you. Deciding to purchase a Kärcher system solution is a decision to purchase a system you can always rely on – and that has been true for over 80 years.









Flexibility for forwarding agencies

Forwarding agencies usually have vehicle fleets consisting of different types of commercial vehicles, each of which places different demands on vehicle cleaning. With our solutions, you can clean every type of vehicle perfectly.

A time-saving concept for bus companies

Time and a clean appearance are important for every bus company. Our high-performance commercial vehicle wash systems clean buses quickly and effectively You will save time, and your buses will always be clean.

Cost efficiency for municipalities

For municipalities, what matters most in commercial vehicle cleaning is cost efficiency. Our perfectly balanced cleaning systems are affordable, cost-efficient and profitable in the long term.

Versatility for wash centres

In wash centres, wash systems must be highly versatile to cope with various cleaning activities. The diverse range of vehicle types requires the highest levels of flexibility. A perfectly balanced Kärcher system ensures smooth processing and meets all requirements.

CLEAN RESULTS ARE ALWAYS IMPRESSIVE



When the cleaning results are perfect, you know that you have won the day. Every day. Using our wash programmes and specially formulated cleaning agents, perfect cleanliness is no longer a roll of the dice.

Vehicle positioning

The vehicle to be cleaned is directed to the start position using a guide or traffic light.

Perfect prewash

The shampoo is applied by the commercial vehicle wash during the mechanical prewash. Stubborn dirt in hard to reach places is removed quickly, simply, and economically during a manual prewash. For mineral deposits such as plaster, limescale, mortar, and concrete, we recommend the VehiclePro Truck Cleaner, acidic RM 804. For all other types of dirt, use the VehiclePro Truck Cleaner, alkaline RM 805.

Individual programme selection

The correct programme for the appropriate vehicle can be selected quickly and easily via a large, durable and easy-to-use operation panel.

Effective brush wash

Once pre-cleaning is complete, any remaining dirt is removed quickly and efficiently using a brush wash and our VehiclePro Brush Shampoo RM 811.

Convenient notes and payment

You have a variety of options for billing the vehicle wash. Options range from classical handwritten driver lists to card readers and scanners and right through to cash payment.







TB: WELLNESS PROGRAMME FOR LORRIES

Our TB is your commercial vehicle wash for large jobs. Experience professional efficiency every day. We are proud of our innovative TB. After all, we created it to be reliable, efficient and flexible. We have combined durable, low-maintenance technology, unlimited modularity, and easy operation in one unique system. The simple, quick access to all important components, such as dosing pumps, cleaning agent canisters and control units makes daily operation incomparably simple.

Unlimited modularity

A TB fits in your location. We created it to fit. Each basic version can be reduced in height by up to 300 mm, in 100 mm increments. And the width can be reduced by 100 mm on each side. The washing height and washing width will change accordingly. This means that the TB fits in almost every wash hall. Including yours.

Trouble-free wash process

Our patented side-brush mounting allows the brushes to move unobstructed in all directions. This prevents the shafts from bending. The contact pressure of the side brushes is individually adjusted for each vehicle, and together with the precise contour detection promises optimal washing results.

Individual parameter settings

The TB features a Can-Bus control system, which allows you to change parameters as you wish, for example direction, speed, or wash programmes. You can also save the specific vehicle geometries for different vehicle types. This allows you to make maximum use of your commercial vehicle wash's speed and safety.





тв

Wash heights**: 3,600/4,250/4,600/5,050 mm Plant heights**: 4,539/5,189/5,539/5,989 mm

Plant heights with roof brush splash guard**:

4,597/5,247/5,597/6,047 mm

Plant width with rotating side brushes*: 4,830 mm Plant width with side brush splash guard***: 5,000 mm

Fresh water connection: 100 l/min, 4-6 bar

Rated input power: 5.3 kW

Power supply: 3~/400 V/50 Hz, 3~/220 V/60 Hz

* can be reduced by 200 mm in one step

** reduced by 100 mm for each of 3 steps *** adjustable by +/- 200 mm, dependent on brush diameter

EVERYTHING YOU NEED

Reliable driver instructions

The positioning light can be mounted directly on the portal or be located separately in front of it.

Light barriers

The vehicle contours are recognized safely using light barriers.



4

5

6

2

1

Travel rails

Travel rails made from stainless steel or hot-dip galvanised for a perfect guiding of the portal.

Energy supply

You have the choice between energy chain and festooned cable.

Brush equipment

For effective brush wash, you can choose between high-quality polyethylene brushes or a Carlite brush mixture, each also in your own individual design. The Carlite brush mixture brushes have 3 lower brush segments made of polyethylene, providing a powerful and paint-saving clean. The optimal solution for buses. Our brushes feature patented side brush mounting with freedom of movement in all directions. You will never have to deal with bent brush shafts again.

Operation panel basic and advanced

Select the operation panel basic with a maximum of 7 pre-defined wash programmes, or the operation panel advanced with up to 11 selectable and individually adjustable wash programmes. With the optional remote control, you have full manual control for a perfect wash procedure for vehicles with difficult contours.





WITH A STRONG HAND



The manual prewash, done by hand, is an essential part of thorough vehicle cleaning. With our cold and hot water high-pressure cleaners, you can quickly, easily and costeffectively remove dirt, even in hard-to-reach places.

Easy, quick, and thorough

High-performance high-pressure cleaners clean quickly and reliably. A versatile range of accessories, e.g. the flexible spray lance, allows you to access even hard-to-reach areas.

One device for multiple users

Thanks to a central supply unit, multiple vehicles can be pre-washed simultaneously, or, as is often the case for commercial vehicles, 2 people can clean the vehicle at the same time: one on the left, the other on the right. Water is pumped to the point of use in the wash hall via a permanently installed pipeline system.

Everything clean, everything safe

Hose guiding systems on the side ensure safety and a controlled wash process. They prevent employees from tripping over the hoses. This also significantly increases the service life of the hoses.



RBS: THE MOBILE

For targeted cleaning of the front, rear and sides of buses and vans, make use of RBS, our mobile single brush commercial vehicle wash. A rotating brush moving around the vehicle removes the dirt quickly and without effort. The highly economical solution for small vehicle fleets.

Follows the vehicle's contours perfectly

Sloping vehicle noses up to an angle of 10° can be washed with the RBS thanks to vertical contour detection and brush tilting mechanism with adjusting wheel.

Optimal economical dosage

A dosing pump ensures that only the quantity of Kärcher cleaning agent actually needed is added to the mix. As a result, you reduce your operating costs and save natural resources.



Simple operation

A practical operating and safety handle allows for effortless control of the RBS, as the rotating brush assists forward movement. If you release the handle, brush rotation stops immediately.

Unlimited mobility

Thanks to its aluminium construction, the RBS is durable and easy to control. Two track wheels and 4 steering rollers provide stability and ensure easy manoeuvring of the system. The semi-sided shell panelling reliably protects the user from splash water.

RBS

 Wash heights: 3,645/4,205 mm

 Plant heights: 3,810/4,370 mm

 Plant width: 1,700 mm

 Fresh water connection: 80 l/min, 3-6 bar

 Rated input power: 1.15 kW

 Power supply: 1~/240 V/50 Hz, 3~/230 V/50 Hz

 3~/400 V/50 Hz, 3~/230 V/60 Hz

NATURALLY: WATER RECLAMATION

With Kärcher water reclamation systems, you not only save money - you also protect the environment.





WRP 8000/16000

Using physical filtration, all of the waste water is fed back into the wash process, reducing fresh water consumption by up to 85%. The WRP 8000/16000 has DiBt (German Institute for Civil Engineering) type approval, which serves as proof of the best possible circulation in accordance with Appendix 49 of the German Waste Water Ordinance (AbwV). This also makes the official environmental approval process significantly simpler. For this reason, there is no need to make use of an oil separator.

EFFECTIVE: CLEANING AGENTS

Precisely what you need: fully effective at all water hardness levels and specially formulated for Kärcher wash systems. With special content materials that protect water-conveying parts against corrosion. Our ASF products with patented, easily separable formulas are environmentally friendly.







Remove coarse dirt with 60 bar

If your vehicles regularly take on coarse dirt, our high-pressure system with 60 bar is the perfect solution. With up to 3 spinner brushes on each side of the system, you can achieve effective pre-cleaning of vehicle side surfaces. The front and rear of the vehicle are cleaned by the movable roof bar, which is rotatable by 180°. Even stubborn dirt is removed in no time.



Exclusive programme option for buses only

Buses always have to look good. Which is why we offer special programme options for buses, with which you can meet your requirements based on demand, vehicle fleet and local conditions. The short drive wash is a combination of moving portal and moving bus: the front and rear are washed by the moving portal. When washing the sides of the vehicle, the portal remains still and it is the bus that moves.

In the case of the drive-through wash, the portal remains still and the bus is cleaned using only the side brushes. The bus simply drives slowly (walking speed) along the side brushes – front and rear are not washed.

The counter wash allows you to reach a high wash throughput, with optimal wash results. The bus is washed once while driving through the system, and then rinsed. The wash process for each bus starts at the opposite end: the first bus is washed from the front to the rear, the next bus is washed from the rear to the front, and so on.





Not all mirrors are equal

Because mirrors on truck and buses are very different, we offer 2 mirror programmes exclusively with the TB. The truck mirror programme is activated as a default. This programme avoids the wide angle mirrors (blind spot mirrors) at the front of the vehicle during washing. If you activate use of the pre-programmed bus programme, the wide sweeping bus mirrors are avoided.



SUCCESS FROM WITHIN

We have been your partner for reliable and powerful systems for container interior cleaning for over 40 years. As a market leader in professional cleaning systems, we offer tailor-made solutions for all requirements based on modular components. Our high-quality systems are efficient, cost-effective and energysaving – the result of our years of experience. From consulting and planning to construction, delivery and servicing of the systems, we are there for you.











YOU MANAGE YOUR BUSINESS. WE PROVIDE THE SUPPORT YOU NEED.



Things can be much easier when people combine their talents. Pursuing goals together, complementing one another and learning from each other makes it so much

easier to achieve success. One could call it the principle of progress. We call it Kärcher Services. A promise of partnership. By professionals, for professionals.



Kärcher Services

The complete range of services from a world market leader. And the perfect continuation of the advanced Kärcher system with innovative tools, a tailored range of services and efficient software solutions.



Kärcher Fleet Fleet management

The intelligent solution for industry and role-specific recording and evaluation of all machine data and tools for increased efficiency, documentation and operations planning.



Kärcher Maintain Service contracts

Every service package is precisely tailored to suit specific needs. The scope of services ranges from inspection as part of mandatory safety testing to servicing at the due date or the flat-rate Full Service.



Kärcher Service Customer service

Service means trust. Always. Services you really need. Fast reactions for maximum availability. Maximum value retention and compliance with all statutory requirements.



Kärcher Lease Leasing

Tailor-made. Flexible. Secure. We provide the flexibility you need: with leasing and financing models to suit every need. Please contact us for more information:

Head Office Germany

Alfred Kärcher GmbH & Co. KG Alfred-Kärcher-Straße 28-40 71364 Winnenden

Phone +49 7195-14-0 Fax +49 7195-14-2212 www.kaercher.com

North America

Kärcher North America 4555 Airport Way Denver, CO 80239 USA Phone +1 303-738-5805 Fax +1 303-865-2758 www.karcherna.com

United Kingdom

Kärcher (UK) Ltd Kärcher House Brookhill Way Banbury Oxon OX16 3ED Phone +44 1295-752-000 Fax +44 1295-752-103

www.karcher.co.uk

Ireland

Kärcher Ltd Unit 4 E.P. Mooney Business Park Walkinstown Avenue Dublin 12

Phone +353 1-409-7777 Fax +353 1-409-7775

www.karcher.ie

South East Asia

Regional Head Office South East Asia Karcher South East Asia Pte Ltd 3 Depot Close #01-01 Singapore 109840

Phone+656897-1811Fax+656897-1611

www.karcher.com.sg

Hong Kong

Kärcher Limited Unit 05, 13/F, Nanyang Plaza 57 Hung To Road Kwun Tong, Kowloon

Phone+8522-357-5863Fax+8522-357-5632

www.karcher.com.hk

Australia

Karcher Pty Ltd 40 Koornang Road Scoresby VIC 3179 Melbourne, Victoria

Phone +61 3-9765-2300 Fax +61 3-9765-2398

www.karcher.com.au

New Zealand

Karcher Ltd 66 Allens Road East Tamaki Auckland 2013 Phone +64 9-274-4603 Fax +64 9-274-6932 www.karcher.co.nz

South Africa

Kärcher (Pty) Ltd Cnr Mount Joy & George Allen Rd Wilbart Ext. 2 PO Box 11818 Vorna Valley, 1686

Phone +27 11-657-7300 Fax +27 11-657-7440 www.karcher.co.za

Dubai

Karcher FZE Quality Cleaning Systems Jebel Ali Free Zone Plot No. S-10104 South Zone RA 08, XB 1, Jebel Ali

Phone +971 4-886-1177 Fax +971 4-886-1575

www.kaercher.com